From: Kathy Hodgkiss/R3/USEPA/US

Sent: 3/21/2012 3:43:05 PM

To: Tulis.Dana@epamail.epa.gov

CC:

Subject: Sample. Fw: copy of data package Fw: Follow up

---- Original Message ----- From: Kathy Hodgkiss

Sent: 03/21/2012 08:20 AM EDT

To: Victoria Binetti

Subject: copy of data package Fw: Follow up

Kathy Hodgkiss, Deputy Director Hazardous Site Cleanup Division U.S. EPA Region 3 215/814-3151 (phone) 215/814-3001 (fax)

---- Forwarded by Kathy Hodgkiss/R3/USEPA/US on 03/21/2012 08:20 AM -----

From: Kathy Hodgkiss/R3/USEPA/US

To: "Roy Seneca" <seneca.roy@epa.gov>, "Terri-A White" <White.Terri-A@epamail.epa.gov>

Date: 03/20/2012 05:03 PM Subject: Fw: Fw: Follow up

---- Original Message ----- From: Dennis Carney

Sent: 03/20/2012 11:16 AM EDT

To: Shawn Garvin

Cc: Betsaida Alcantara; Bob Sussman; Ron Borsellino; Brendan Gilfillan; Jim Martin; Michael Kulik; Kathy Hodgkiss

Subject: Re: Fw: Follow up

I apologize for the delay in getting this out.....

Attached are three files. The first is a sample of the data report provided to each of the first 11 homes. Also attached is a template for the cover letter attached to each data report as well as a key to explaining terms and abbreviations contained in the data report.

Thanks, dennis.

From: Shawn Garvin/R3/USEPA/US

To: Bob Sussman/DC/USEPA/US@EPA, Betsaida Alcantara/DC/USEPA/US@EPA, "Ron Borsellino"

<Borsellino.Ron@epamail.epa.gov>, "Dennis Carney" <Carney.Dennis@epamail.epa.gov>

Cc: Brendan Gilfillan/DC/USEPA/US@EPA, Jim Martin/R8/USEPA/US@EPA, Michael Kulik/R3/USEPA/US@EPA

Date: 03/19/2012 06:05 PM Subject: Re: Fw: Follow up

DIM0177232 DIM0177232

Bob - Will do.

Ron & Dennis - Can you get Bob and the rest of the folks on the message a sample of one of the packets we sent to the residents.

Thanks - Shawn

---- Original Message ----- From: Bob Sussman

Sent: 03/19/2012 05:47 PM EDT

To: Betsaida Alcantara

Cc: Brendan Gilfillan; Jim Martin; Michael Kulik; Shawn Garvin

Subject: Re: Fw: Follow up

Shawn -- can you provide a representative example of the data package we

sent to homeowners?

Ex. 5 - Deliberative

Ex. 5 - Deliberative

Robert M. Sussman Senior Policy Counsel to the Administrator Office of the Administrator US Environmental Protection Agency (202) 564-7397

From: Betsaida Alcantara/DC/USEPA/US
To: Bob Sussman/DC/USEPA/US@EPA

Cc: Brendan Gilfillan/DC/USEPA/US@EPA, Jim Martin/R8/USEPA/US@EPA, Michael Kulik/R3/USEPA/US@EPA, Shawn

Garvin/R3/USEPA/US@EPA
Date: 03/19/2012 05:33 PM
Subject: Re: Fw: Follow up

yes

From: Bob Sussman/DC/USEPA/US

To: Betsaida Alcantara/DC/USEPA/US@EPA

Cc: Brendan Gilfillan/DC/USEPA/US@EPA, Jim Martin/R8/USEPA/US@EPA, Michael Kulik/R3/USEPA/US@EPA, Shawn

Garvin/R3/USEPA/US@EPA
Date: 03/19/2012 05:10 PM
Subject: Re: Fw: Follow up

Ex. 5 - Deliberative

Robert M. Sussman Senior Policy Counsel to the Administrator

DIM0177232 DIM0177233

Office of the Administrator US Environmental Protection Agency (202) 564-7397

From: Betsaida Alcantara/DC/USEPA/US

To: Jim Martin/R8/USEPA/US@EPA, Shawn Garvin/R3/USEPA/US@EPA, Bob Sussman/DC/USEPA/US@EPA

Cc: Brendan Gilfillan/DC/USEPA/US@EPA, Michael Kulik/R3/USEPA/US@EPA

Date: 03/19/2012 04:32 PM

Subject: Fw: Follow up

See below.

---- Forwarded by Betsaida Alcantara/DC/USEPA/US on 03/19/2012 04:27 PM -----

From: Abrahm Lustgarten < Abrahm. Lustgarten @propublica.org >

To: Betsaida Alcantara/DC/USEPA/US@EPA

Date: 03/19/2012 04:25 PM

Subject: Follow up

Hi Betsaida,

Thanks for chatting. Just to confirm the two follow-ups –

- Is the decision to release news about Dimock inconsistent with what happened in Pavillion and why?
- Why are some of the following not characterized in EPA's statement about Dimock's water released Thursday:
- o Low levels of pyrene, benzoprene, fluorine, fluoranthene, dinutrotoluene, hexachlorobenzene, phthalates, etc?
- o High levels of methane with Ethane, which normally signifies thermogenic sourcing.
- o Metals including chromium, lithium and lead Lithium in particular are fairly high levels in some samples.

Thank you, Abrahm Lustgarten 917-589-1262

DIM0177232 DIM0177234